

SpermVision®  
**Semen Analysis Report**

Miggie (aka: Miggie)

Schultz Veterinary Clinic

2770 Bennett Rd Okemos MI 48864

Phone: 517-337-4800

Fax: 517-337-1874

Email: [info@schultzvetclinic.com](mailto:info@schultzvetclinic.com)

Web Site: [www.schultzvetclinic.com](http://www.schultzvetclinic.com)



<b>Donor Information</b>	<b>Owner: Jenny Sennett</b>
<b>Name:</b> Miggie (aka: Miggie) <b>Breed:</b> Labradoodle <b>Primary Color:</b> <b>MicroChip:</b> <b>Testes Evaluation:</b> <b>Weight:</b>	<b>Birth date:</b> <b>DNA profile #:</b> <b>Reg #:</b> <b>Secondary Color:</b> <b>Tattoo:</b> <b>Prostate Evaluation:</b>
<b>Sample Information</b>	<b>Collection Date: 02/23/2018</b>
<b>Sample Collection</b>	
<b>Date/Time:</b> 02/23/2018 / 9:17:52 AM <b>Collection:</b> <b>Received:</b> 9:17:52 AM <b>Antibiotics:</b> No comments...	<b>Veterinarian:</b> Kay Donahue, Dvm <b>Time since last collection:</b> 0 days <b>Reason for evaluation:</b>
<b>Untreated Sample</b>	
<b>Volume:</b> 2 ml <b>Bacteria:</b> No comments...	<b>Type of semen:</b> <b>Agglutination:</b> <b>Red Blood Cells:</b> <b>Semen Color:</b> <b>Debris Type:</b>
<b>Sample Preparation</b>	
<b>Technician:</b> William E. Schultz, DVM <b>Centrifugation:</b> <input type="checkbox"/>	<b>Extender:</b> <b>Dilution ratio:</b> 1 to 4
<b>Sample Comments</b>	
==== Added by admin on 02/23/2018 9:24:08 AM ==== HX: never bred or collected. 8 mo old. eating earthborn. no health problems. taking HWP. will be bred to "Sassy" Sennett. COLLECTION; puppy-ish. little to no interest in female, easily collected but somewhat slow to ejaculate. 3.5 cc total, thin/white. normal testes. MORPH: normal	
<b>Motility Information</b>	<b>Collection Date: 02/23/2018</b>
<b>Average Cell Analysis Information - 933 Cells Analyzed 02/23/2018 9:24:00 AM</b>	
<b>Sperm Concentration:</b> 182.8 million/ml <b>Total Sperm:</b> 365.60 million <b>Viable Sperm:</b> 342.46 million <b>VCL:</b> 122.70 µm/sec <b>VAP:</b> 76.33 µm/sec <b>VSL:</b> 64.35 µm/sec	<b>Motility:</b> 93.67 % <b>Progressive motility:</b> 89.06 % <b>LIN:</b> 0.52 <b>STR:</b> 0.84 <b>BCF:</b> 21.67 hertz <b>ALH:</b> 4.77 µm <b>Local motility:</b> 4.60 % <b>Immotile:</b> 6.34 %